

Contents

Preface	V
Highlights	IX
Application examples	XIX
Notation	XXIII
1 Introduction to networked control systems	1
1.1 Networked systems	1
1.1.1 A control-theoretical view on cyber-physical systems	1
1.1.2 New fields of application	4
1.1.3 Characteristic properties of networked systems	8
1.2 Networked control systems	9
1.2.1 Motivation for the control over digital networks	9
1.2.2 Properties of the communication network	11
1.2.3 Flexibility of the information structure	13
1.2.4 Challenges of networked systems design	14
1.3 Survey over the control methods tackled in this book	17
1.3.1 Scope and key problems	17
1.3.2 Results of algebraic graph theory and network science	21
1.3.3 Consensus in networked systems	22
1.3.4 Synchronisation of multi-agent systems	23
1.3.5 Design of the communication structure of networked controllers	24
1.3.6 Self-organisation in networked control systems	25
1.3.7 Event-triggered control	26
1.3.8 Advanced control applications	26
Notes and references	27
2 Algebraic graph theory	31
2.1 Basic notions	31
2.1.1 Directed graphs	31
2.1.2 Other graphs	34
2.2 Matrix representations of graphs	36
2.2.1 Adjacency matrix	36
2.2.2 Degree matrix	38

2.2.3	Normalised adjacency matrix	39
2.2.4	Incidence matrix	40
2.2.5	Laplacian matrix	42
2.2.6	Normalised Laplacian matrix	45
2.2.7	Graph matrices in systems and control.	47
2.3	Analysis of graphs	50
2.3.1	Algebraic connectivity	50
2.3.2	Reachability analysis	54
2.3.3	Structure matrices	55
2.3.4	Graphs associated with matrices	56
2.3.5	Specific graphs	57
2.4	Summary	60
	Notes and references	61
3	Consensus in multi-agent systems	63
3.1	Consensus problem	63
3.2	Continuous-time consensus	67
3.2.1	Basic convergence results	67
3.2.2	Consensus value	71
3.2.3	Convergence properties	75
3.3	Specific multi-agent systems	81
3.3.1	Completely coupled systems	81
3.3.2	Leader–follower networks	83
3.3.3	Control-theoretical interpretation of the consensus problem	85
3.3.4	Compartmental systems	88
3.3.5	Robust consensus systems	90
3.3.6	Formation control	93
3.3.7	Other versions of the consensus problem	95
3.4	Discrete-time consensus	98
3.4.1	Consensus conditions	98
3.4.2	Network of discrete-time integrators	100
3.4.3	Discrete-time version of continuous-time consensus systems	102
3.5	Consensus over switching networks	108
3.5.1	Model	108
3.5.2	Consensus over strongly connected networks	109
3.5.3	Consensus in systems with a changing number of agents	112
3.5.4	Consensus over switching networks that are not connected	113
3.5.5	Gossiping algorithms	118
3.6	Summary	120
	Application studies	122
	Notes and references	123

4 Synchronisation of multi-agent systems	127
4.1 Synchronisation problem	127
4.2 Models	130
4.2.1 Agent model	130
4.2.2 Networked controller	131
4.2.3 Model of the networked system	132
4.3 Asymptotic synchronisation of identical agents	133
4.3.1 Output and state synchronisation	133
4.3.2 Synchronisation condition	134
4.3.3 Discussion of the synchronisation condition	140
4.3.4 Synchronous trajectory	142
4.3.5 Control-theoretical interpretation of the diffusive couplings	145
4.3.6 Design of synchronising controllers	151
4.3.7 Synchronisation with complete couplings	153
4.4 Synchronisable agents	160
4.4.1 The notion of synchronisability	160
4.4.2 Necessary condition for synchronisability	161
4.4.3 Synchronising networks	162
4.4.4 Synchronisation vs. consensus	164
4.5 Example: Synchronising oscillator circuits	166
4.5.1 Oscillator model	166
4.5.2 Analysis of the circuit	167
4.5.3 Diffusive couplings through resistor networks and synchronisation condition	169
4.5.4 Behaviour of oscillator networks	170
4.6 Synchronisation of agents with individual dynamics	174
4.6.1 Model of the agents and of the networked system	174
4.6.2 Synchronisability of individual agents	176
4.6.3 Systems with common dynamics	177
4.6.4 Synchronisability of non-identical agents	183
4.6.5 Synchronisation condition	186
4.6.6 Control-theoretical interpretation of the networked controller	191
4.6.7 Leader-follower networks	191
4.7 Synchronisation of multi-agent systems by means of dynamical networked controllers	193
4.7.1 Agents with local controllers	193
4.7.2 Local controllers that make the agents synchronisable or improve the transient behaviour	197
4.7.3 Local controllers that introduce the virtual reference system into the agents	200
4.8 Robustness of synchronised systems	206
4.8.1 Three phenomena occurring in synchronised systems with parameter deviations	206
4.8.2 Robustness for parameter deviations of the couplings	208

4.8.3	Sensitivity of synchronised systems with respect to parameter deviations of the agents	208
4.8.4	Practical synchronisation of agents with similar dynamics	214
4.9	Synchronisation of Kuramoto oscillators	220
4.9.1	Oscillator models	220
4.9.2	Asymptotic synchronisation of uniform Kuramoto oscillators	223
4.9.3	Phase-locking of non-uniform Kuramoto oscillators	225
4.9.4	Asymptotic synchronisation of non-uniform oscillators by linear dynamical couplings	229
4.9.5	Behaviour of Kuramoto oscillators with nonlinear couplings	235
4.9.6	Asymptotic synchronisation of non-uniform oscillators by nonlinear couplings	244
4.10	Summary and outlook	253
	Application studies	255
	Notes and references	257
	Appendix 4.A: Proof of Lemma 4.6	262
	Appendix 4.B: Proof of Lemma 4.7	263
	Appendix 4.C: Proof of Lemma 4.8	265
	Appendix 4.D: Proof of Lemma 4.10	267
5	Design of the communication structure of networked controllers	269
5.1	Control aims and design steps	269
5.1.1	Efficient set-point following in multi-agent systems	269
5.1.2	Main idea: Model abstraction	272
5.1.3	Design steps	273
5.1.4	Communication structure	274
5.2	Models	278
5.2.1	Agent model and reference system	278
5.2.2	Local controllers	278
5.2.3	Extended and controlled agents	279
5.2.4	Overall system	281
5.2.5	Main assumption and set-point following in cycle-free networks	282
5.3	Delay measures	283
5.3.1	Motivation and definitions	283
5.3.2	Determination of the delay	287
5.3.3	Cumulative delay of networked systems	288
5.3.4	Communication structure design	294
5.4	Example: Distance control of vehicle platoons	296
5.4.1	Control aims	296
5.4.2	String stability of vehicle platoons	301
5.4.3	Ideal vehicle dynamics for time-headway spacing	304
5.4.4	Vehicle platoons with adaptive cruise controllers	306
5.4.5	Vehicle platoons with cooperative adaptive cruise controllers	309
5.4.6	Vehicle dynamics for continuous progression and collision avoidance	316
5.4.7	Summary of the design objectives	323

5.4.8	Specific vehicle controllers	325
5.5	Summary	333
	Application studies	334
	Notes and references	335
6	Random graphs	339
6.1	Sparse graphs with random edges	339
6.2	Some further notions of graph theory	341
6.2.1	Characteristic path length	341
6.2.2	Clustering coefficient	342
6.2.3	Degree distribution	344
6.2.4	Regular graphs	347
6.3	Erdős-Rényi graphs	349
6.3.1	Edge-generation rule for random graphs	349
6.3.2	Combinatorial properties of random graphs	351
6.3.3	Phase transitions in random graphs	352
6.3.4	Degree distribution and clustering coefficient	356
6.3.5	Diameter and characteristic path length	358
6.4	Results from Network Science	361
6.4.1	Small-world architecture of complex networks	361
6.4.2	Survey over the models of complex networks	362
6.4.3	Small-world networks	364
6.4.4	Scale-free networks	367
6.5	Summary	371
	Application studies	374
	Notes and references	374
7	Consensus and synchronisation with random communication	377
7.1	Stochastic convergence	377
7.1.1	Deterministic and random sequences	377
7.1.2	Convergence properties of random sequences	380
7.2	Stochastic stability of dynamical systems	393
7.2.1	Stochastic systems	393
7.2.2	Martingales and supermartingales	395
7.2.3	Stability analysis	399
7.2.4	Stability of fast switching systems	405
7.3	Random agreement	409
7.3.1	General consensus condition	409
7.3.2	Network of discrete-time integrators	414
7.3.3	Continuous consensus systems with random communication graph	415
7.3.4	Random gossiping	418
7.4	Random synchronisation	422
7.4.1	Problem statement	422
7.4.2	Synchronisation of fast switching systems	423
7.4.3	Synchronisation over a random graph	426

7.5	Summary	427
	Application studies	427
	Notes and references	428
	Appendix 7.A: Proof of Lemma 7.6	429
8	Self-organisation in networked systems	431
8.1	The idea of self-organisation	431
8.2	Self-connecting systems	434
8.2.1	Communication graphs with random links	434
8.2.2	Control aim and main assumptions	438
8.2.3	Properties of the effective communication graph	440
8.2.4	Communication with a restricted set of neighbours	450
8.3	Small-world architecture of networked systems	457
8.3.1	Extending ring structures by shortcuts	457
8.3.2	Algorithm to generate the effective communication graph	459
8.3.3	Properties of the effective communication graph	462
8.3.4	Self-organised agents with changing leader	465
8.4	Self-organised disturbance attenuation in multi-agent systems	467
8.4.1	Main idea: Cutting the communication links from disturbed towards undisturbed agents	467
8.4.2	Communication structure	470
8.4.3	Controlled agents	471
8.4.4	Disturbance behaviour of the self-organised system	474
8.5	Summary	480
	Application studies	481
	Notes and references	481
	Appendix 8.A: Proof of Lemma 4.7	483
	Appendix 8.B: Proof of Lemma 8.6	484
	Appendix 8.C: Proof of Theorem 8.2	487
9	Event-triggered control	489
9.1	Motivation and control configuration	489
9.1.1	Structure of event-triggered control loops	489
9.1.2	Event-triggered control vs. sampled-data control	491
9.1.3	Main idea of event-triggered control	493
9.1.4	Continuous state-feedback control	495
9.2	Event-triggered stabilisation	496
9.2.1	Stabilising state feedback	496
9.2.2	Event-triggered implementation of the controller	497
9.2.3	Properties of event-triggered control loops	502
9.2.4	Self-triggered implementation of the controller	505
9.2.5	Evaluation of the method	506
9.3	Disturbance attenuation by event-triggered state feedback	508
9.3.1	Models	508
9.3.2	Behaviour of the control loop between two consecutive events	510

9.3.3 Event generator and disturbance estimator	512
9.3.4 Comparison of the event-triggered control loop and the continuous state-feedback loop	517
9.3.5 Communication frequency and minimum inter-event time	519
9.3.6 Experimental results	520
9.4 Event-triggered control of interconnected systems	526
9.4.1 New structure and new phenomena	526
9.4.2 Model of the interconnected system	528
9.4.3 Decentralised event-triggered controllers	529
9.4.4 Analysis of the event-triggered overall system	530
9.5 Event-triggered synchronisation of multi-agent systems	536
9.5.1 Structure of the overall system	536
9.5.2 Components of event-triggered synchronising controllers	537
9.5.3 Analysis of the overall system	540
9.6 Summary and outlook	544
Application studies	547
Notes and references	547
References	551
Appendix 1: Solutions of the exercises	569
Appendix 2: Matrices	669
A2.1 Series	669
A2.2 Inverse and pseudoinverse matrix	670
A2.3 Eigenvalues	670
A2.4 Specific matrices	672
A2.5 Stability analysis of complex-valued matrices	677
A2.6 Kronecker product	678
Appendix 3: Dynamical systems	679
A3.1 Stability	679
A3.2 Further system properties	681
A3.3 Comparison principle	683
Appendix 4: Probability theory	685
A4.1 Probability space	685
A4.2 Expectation and variance	688
A4.3 Random sequences	692
A4.4 Random matrices	694
Appendix 5: MATLAB functions for graphs	695
A5.1 Matrix functions	695
A5.2 Graph objects	697
A5.3 Graph algorithms	701

Appendix 6: English–German dictionary	709
Index	713

Application examples

Vehicle platoons

Distance control of vehicle platoons (Section 5.4) 296

• Vehicle dynamics

Make double-integrator vehicles synchronisable (Example 4.8) 198

Double-integrator vehicles with a lead controller (Exercise 4.21 with solution) 205, 614

Internal-Reference Principle in vehicle platooning (Exercise 4.22 with solution) 205, 615

• Platoon dynamics

Collisions in string-stable platoons (Example 5.6) 302

Platoon of first-order vehicles (Example 5.7) 304

Merging of two vehicle platoons (Exercise 4.5 with solution) 159, 595

Platoon behaviour with externally positive vehicles (Exercise 5.12 with solution) 332, 637

• Adaptive cruise control

Velocity and distance synchronisation in vehicle platoons (Example 4.10) 201

Vehicle platoons with adaptive cruise controller (Section 5.4.4) 306

Vehicle with velocity controller (Example 5.11) 326

Vehicle with distance controller (Example 5.12) 328

Combined distance and velocity controller (Exercise 5.10 with solution) 331, 635

Structure of the vehicle distance controller (Exercise 5.11 with solution) 331, 636

Vehicle strings with guaranteed collision avoidance (Exercise 5.9 with solution) 331, 632

Self-organising leader selection in a truck platoon (Application study 11 with solution in the supplementary booklet) 481

• Cooperative adaptive cruise control (CACC)

Velocity synchronisation in vehicle platoons (Example 4.3) 149

Vehicle platoons with CACC (Section 5.4.5) 309

Time-headway spacing with CACC (Example 5.8) 314

Collision avoidance test (Example 5.9) 318

Platoon of identical vehicles with CACC (Example 5.10) 322

Communication structure of platoons with CACC (Exercise 5.8)	330
Time headway in platoons with CACC (Exercise 5.13 with solution)	332, 640
Nonlinear vehicle platoons (Application study 7 with solution in the supplementary booklet)	334
Random gossiping in a vehicle string (Exercise 7.9 with solution)	421, 653

Cooperative robots and unmanned aerial vehicles

Formation control of sensor-actuator networks (Exercise 3.10)	97
• Robot formations	
Formation of four robots (Example 3.7)	95
Performance of formation control (Exercise 3.12 with solution)	98, 584
Formation of four robots with individual powertrain (Exercise 4.20)	205
Self-organised re-structuring of the communication topology after leader changes (Example 8.7)	465
Rendezvous problem for robots (Exercise 3.11 with solution)	97, 583
• Robots with leader-follower structure	
Robot positioning problem (Exercise 4.27 with solution)	251, 619
Robot positioning problem (Example 5.5)	292
Can additional information make the robot performance worse? (Exercise 5.7 with solution)	296, 631
Robot positioning with self-organised communication (Example 8.2)	447
Robot positioning with a constrained communication range (Example 8.4)	455
Robot positioning with event-triggered communication (Example 9.4)	542
• Multirotor fleet	
Formation flight of multirotors (Example 8.8)	476
Multirotor formation with local disturbance attenuation (Exercise 8.8 with solution)	478, 660

Networks of coupled oscillators

Synchronisation two coupled oscillators (Example 4.1)	139
Synchronous trajectory of two oscillators (Example 4.2)	144
Synchronisation of many oscillators (Exercise 4.6)	160
Synchronisability of harmonic oscillators (Example 4.4)	163
Make harmonic oscillators synchronisable (Example 4.9)	199
Synchronising oscillator circuits (Section 4.5)	166
Synchronisability of oscillators with different input vector (Exercise 4.13)	173
Internal power of synchronised oscillator networks (Exercise 4.14 with solution)	173, 606

Synchronisation of unstable oscillators (Exercise 4.15)	173
Synchronisation of extended oscillator circuits (Exercise 4.16 with solution)	174, 610
Behaviour of non-uniform oscillator networks (Example 4.11)	210
Synchronisation of three oscillators with different time constants (Example 4.7)	188
Synchronisation of uniform and non-uniform oscillators (Example 4.12)	212
Robustness of extended oscillator networks (Exercise 4.23 with solution)	219, 616
Kuramoto oscillators and harmonic oscillators (Exercise 4.25 with solution)	250, 618
Synchronisation of van der Pol oscillators (Application study 3 with solution in the supplementary booklet)	255
Event-triggered synchronisation of undamped oscillators (Exercise 9.9 with solution)	544, 666

Electrical power networks

Synchronisation phenomena in electrical power networks (Application study 5 with solution in the supplementary booklet)	256
Phase transitions in the behaviour of electrical power networks (Example 6.4)	355
Equivalent resistance of an electrical network with random structure (Exercise 6.6 with solution)	360, 642

Control of mechanical systems

Diffusive couplings in mechanical systems (Exercise 4.1 with solution)	133, 589
Synchronisation of spring-mass systems (Exercise 4.12 with solution)	166, 603

• Inverted pendulum

Networked stabilisation of an inverted pendulum (Example 7.8)	402
Stability analysis of the inverted pendulum with random controller structure (Exercise 7.5)	409
Event-triggered control of an inverted pendulum (Example 9.1)	499
Event-triggered and self-triggered stabilisation of the inverted pendulum (Exercise 9.2) ..	507
Event-triggered state-feedback control of an inverted pendulum (Example 9.2)	514

Process control

Experimental evaluation of event-triggered control of a thermo-fluid process (Section 9.3.6)	520
Event-triggered vs. sampled-data control of a thermo-fluid process (Application study 12 with solution in the supplementary booklet)	547
Experiments with a decentralised event-triggered controller (Example 9.3)	532

Distributed algorithms

Dynamical load-balancing of multiprocessor systems (Exercise 3.17 with solution)	108, 588
Solve a set of linear equations as a consensus problem (Application study 2 with solution in the supplementary booklet)	123
Stabilisation of an inverted pendulum with distributed state observers (Application study 4 with solution in the supplementary booklet)	255

- **Distributed averaging**

Distributed estimation in sensor networks (Example 3.8)	101
Sensor networks as consensus systems (Application study 1 with solution in the supplementary booklet)	122
Select appropriate consensus matrices for a distributed algorithm (Exercise 3.16 with solution)	107, 586
Distributed estimation with a time-varying communication graph (Example 7.10)	414
Averaging algorithm with broadcast communication (Exercise 7.7 with solution)	420, 649

Further applications

Consensus in capacitor networks (Exercise 3.6 with solution)	80, 576
Energy consumption and robustness of capacitor networks (Exercise 4.24)	220
Consensus in compartmental vessel systems (Section 3.3.4)	88
Behaviour of an interconnected vessel system (Exercise 3.8)	96
Synchronisation of two DC motors (Example 4.13)	216

Networked systems in the daily life

Cooperative lawn mowing (Exercise 3.19)	119
Control of an irrigation system (Application study 6 with solution in the supplementary booklet)	334
Motion on demand: Self-service bike hiring in Paris (Application study 9 with solution in the supplementary booklet)	374